

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**YLI INDUSTRY SDN. BHD.
PT 14504, PERSIARAN BATU GAJAH PERDANA 6
TAMAN BATU GAJAH PERDANA
31550 IPOH
PERAK, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on**

FIXED GENERAL PURPOSE LUMINAIRES

Please refer to detail in the SCHEDULE

**sebagai mematuhi keperluan
as complying with**

**MS IEC 60598-1 : 2021
MS IEC 60598-2-1 : 1997 (CONFIRMED: 2015)**



Ts. Md. Adha bin Katni @ Rahmat
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

YLI INDUSTRY SDN. BHD.



SIRIM

Trade Mark : YLI
Model : OS BS 1x1200mm
Rating : 240V~, 50Hz, 1 X 18W
2026EB0101, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS BS 2x1200mm
Rating : 240V~, 50Hz, 2 X 18W
2026EB0101, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS BS 2x600mm
Rating : 240V~, 50Hz, 2 X 9W
2026EB0101, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS BS 1x600mm
Rating : 240V~, 50Hz, 1 X 9W
2026EB0101, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YBC 1x600mm
Rating : 240V~, 50Hz, 1 X 9W
QAV-0226-0018, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YWG 2x1200mm
Rating : 240V~, 50Hz, 2 X 18W
QAV-0226-0018, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YWG 1x1200mm
Rating : 240V~, 50Hz, 1 X 18W
QAV-0226-0018, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YWG 2x600mm
Rating : 240V~, 50Hz, 2 X 9W
QAV-0226-0018, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 30 March 2007

Certified Since

Sah Sehingga : 30 March 2027

Valid Until

Tarikh Dikeluarkan : 28 March 2026

Issue Date

No Siri : 125185

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

YLI INDUSTRY SDN. BHD.



SIRIM

Trade Mark : YLI
Model : OS YWG 1x600mm
Rating : 240V~, 50Hz, 1 X 9W
QAV-0226-0018, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YWP 2x1200mm
Rating : 240V~, 50Hz, 2 X 18W
QAV-0226-0017, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YWP 1x1200mm
Rating : 240V~, 50Hz, 1 X 18W
QAV-0226-0017, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YWP 2x600mm
Rating : 240V~, 50Hz, 2 X 9W
QAV-0226-0017, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YWP 1x600mm
Rating : 240V~, 50Hz, 1 X 9W
QAV-0226-0017, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YML 4424/S
Rating : 240V~, 50Hz, 4 X 18W
QAV-0126-0106, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YML 3424/S
Rating : 240V~, 50Hz, 3 X 18W
QAV-0126-0106, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YML 2424/S
Rating : 240V~, 50Hz, 2 X 18W
QAV-0126-0106, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

SCHEDULE

YLI INDUSTRY SDN. BHD.



SIRIM

Trade Mark : YLI
Model : OS YML 2414/S
Rating : 240V~, 50Hz, 2 X 18W
QAV-0126-0106, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YML 4222/S
Rating : 240V~, 50Hz, 4 X 9W
QAV-0126-0106, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YML 3222/S
Rating : 240V~, 50Hz, 3 X 9W
QAV-0126-0106, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YML 2222/S
Rating : 240V~, 50Hz, 2 X 9W
QAV-0126-0106, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YML 2212/S
Rating : 240V~, 50Hz, 2 X 9W
QAV-0126-0106, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YHD 4424/S
Rating : 240V~, 50Hz, Max. 4 X 14W
2023EB0204 + 2025EB0495, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YHD 3424/S
Rating : 240V~, 50Hz, Max. 3 X 14W
2023EB0204 + 2025EB0495, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

SCHEDULE

YLI INDUSTRY SDN. BHD.



SIRIM

Trade Mark : YLI
Model : OS YHD 2424/S
Rating : 240V~, 50Hz, Max. 2 X 14W
2023EB0204 + 2025EB0495, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YHD 2414/S
Rating : 240V~, 50Hz, Max. 2 X 14W
2025EB0495, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YHD 4222/S
Rating : 240V~, 50Hz, Max. 4 X 8W
2023EB0204 + 2025EB0495, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YHD 3222/S
Rating : 240V~, 50Hz, Max. 3 X 8W
2023EB0204 + 2025EB0495, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YHD 2222/S
Rating : 240V~, 50Hz, Max. 2 X 8W
2023EB0204 + 2025EB0495, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YHD 2212/S
Rating : 240V~, 50Hz, Max. 2 X 8W
2023EB0204 + 2025EB0495, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

SCHEDULE

YLI INDUSTRY SDN. BHD.



Trade Mark : YLI
Model : OS SS 804
Rating : 240V~, 50Hz, 20W
Type : Downlight
2024EB0158 + 2025EB0494, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS SR 804
Rating : 240V~, 50Hz, 20W
Type : Downlight
2024EB0158 + 2025EB0494, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS SS 604
Rating : 240V~, 50Hz, 15W
Type : Downlight
2024EB0158 + 2025EB0494, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS SR 604
Rating : 240V~, 50Hz, 15W
Type : Downlight
2024EB0158 + 2025EB0494, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS SS 404
Rating : 240V~, 50Hz, 11W
Type : Downlight
2024EB0158 + 2025EB0494, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

SCHEDULE

YLI INDUSTRY SDN. BHD.



Trade Mark : YLI
Model : OS SR 404
Rating : 240V~, 50Hz, 11W
Type : Downlight
2024EB0158 + 2025EB0494, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS TD-2/S-OV-HO
Rating : 220-240V~, 50Hz, 15W
2024EB0527, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YBC 2x1200mm
Rating : 240V~, 50Hz, 2 X 18W
QAV-0226-0018, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YBC 1x1200mm
Rating : 240V~, 50Hz, 1 X 18W
QAV-0226-0018, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS YBC 2x600mm
Rating : 240V~, 50Hz, 2 X 9W
QAV-0226-0018, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS TD-2/S-FT-HO
Rating : 220-240V~, 50Hz, 15W
2024EB0527, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS TD-4/S-OV-HO
Rating : 220-240V~, 50Hz, 27W
2024EB0527, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

SCHEDULE

YLI INDUSTRY SDN. BHD.



SIRIM

Trade Mark : YLI
Model : OS TD-4/S-FT-HO
Rating : 220-240V~, 50Hz, 27W
2024EB0527, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : YOS D2-1/OL
Rating : 220-240V~, 50Hz, 14W
2024EB0554, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : YOS D2-2/OL
Rating : 220-240V~, 50Hz, 27W
2024EB0554, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : YOS D4-1/OL
Rating : 220-240V~, 50Hz, 27W
2024EB0554, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : YOS D4-2/OL
Rating : 220-240V~, 50Hz, 40W
2024EB0554, Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS UFO 340-50W
Rating : 220-240V~, 50/60Hz, 50W
2025EB0415, Product tested to IEC 60598-1:2020, IEC 60598-2-1:2020

Trade Mark : YLI
Model : OS UFO 340-100W
Rating : 220-240V~, 50/60Hz, 100W
2025EB0415, Product tested to IEC 60598-1:2020, IEC 60598-2-1:2020

Trade Mark : YLI
Model : OS UFO 340-150W
Rating : 220-240V~, 50/60Hz, 150W
2025EB0415, Product tested to IEC 60598-1:2020, IEC 60598-2-1:2020

SCHEDULE

YLI INDUSTRY SDN. BHD.



SIRIM

Trade Mark : YLI
Model : OS UFO 340-200W
Rating : 220-240V~, 50/60Hz, 200W
2025EB0415, Product tested to IEC 60598-1:2020, IEC 60598-2-1:2020

Trade Mark : YLI
Model : OS SQ 2x1200mm/SOL
Rating : 240V~, 50Hz, 2 X 18W
2026EB0101 Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS SQ 1x1200mm/SOL
Rating : 240V~, 50Hz, 1 X 18W
2026EB0101 Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS SQ 2x600mm/SOL
Rating : 240V~, 50Hz, 2 X 9W
2026EB0101 Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

Trade Mark : YLI
Model : OS SQ 1x600mm/SOL
Rating : 240V~, 50Hz, 1 X 9W
2026EB0101 Product tested to standard IEC 60598-2-1: 2020, IEC 60598-1: 2020

End of page
